


CONTROL APPROVAL SYMBOL  
SPMCS-85



**WEEKLY HEALTH REPORT**  
CURRENT MORBIDITY DATA FOR THE ARMY  
IN THE CONTINENTAL UNITED STATES

WEEK ENDING 8 FEBRUARY 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED  
PER 1000 STRENGTH

DISEASE



INJURY



SPECIAL SECTION  
ON  
HEALTH OF THE ARMY  
(UNITED STATES)  
1945

ARMY  
MEDICAL  
FEB 28 1946  
LIBRARY



THIS DOCUMENT CONTAINS INFORMATION  
AFFECTING THE NATIONAL DEFENSE OF THE  
UNITED STATES WITHIN THE MEANING OF THE  
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS  
AMENDED. ITS TRANSMISSION OR THE REVELA-  
TION OF ITS CONTENTS IN ANY MANNER TO AN  
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

# WEEKLY HEALTH REPORT

## CONTENTS

### DATA FOR WEEK ENDING 8 FEBRUARY 1946

	PAGE
NATURE OF THE DATA. . . . .	2
COMMENT ON CURRENT TRENDS. . . . .	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS. . . . .	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER . . . . .	13
STATIONS WITH HIGHEST MORBITY RATES . . . . .	20
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST. . . . .	21

### HEALTH OF THE ARMY (U.S.) 1945 (PRELIMINARY)

COMMENT ON DATA . . . . .	22
DATA FOR UNITED STATES AND SERVICE COMMANDS 1944 AND 1945. . . . .	24



# WEEKLY HEALTH REPORT

## NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuals, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

### MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

### EXPLANATORY MATTER


In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (E) is placed after the name of the station.



# MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

# MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED



## COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes:

(See Chart on page 3.)

Morbidity from all causes during the week ended 8 February increased slightly, being reported at 640 admissions per thousand troops per annum, as compared with 622 during the preceding week.

Injury:

(See Chart on page 3.)

Injury admissions increased from 28 per thousand troops per annum in the week ended 1 February to 31 per thousand in the current week. Highest rate was that reported from the Ninth Service Command (44 per thousand), ranging down to 17 per thousand in the Military District of Washington.

Diseases:

(See Chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week increased from 594 to 609 admissions per thousand troops per annum. Sharpest increase occurred in the Ninth Service Command (492 admissions per 1,000 troops per annum in the previous week, 552 in the week ended 8 February).

Respiratory Diseases:

(See Charts on opposite page and on pages 6 and 7.)

The rate for colds, influenza, etc., increased during the week (186 per thousand to 191 per thousand) to the highest point reported this winter. These rates for the corresponding periods last year were 195 and 193 per thousand (the former figure representing last winter's peak incidence). Rates in 1944, moving downward from peak incidence of about 600 per thousand experienced in mid-December, 1943, were 274 and 263 per thousand.

These rates were higher than those experienced last winter in the Third, Seventh, and Military District of Washington; in no Service Command, however, did this season's rates approach those of peak-incidence periods in 1942 and 1943. High morbidity was reported from the Third Service Command (288 admissions per 1,000 troops per annum, down from last week's rate of 320) and the Military District of Washington (414 per 1,000, from 439 per 1,000 last week).


Admissions for all forms of primary pneumonia increased to 18 per thousand troops per annum; the highest point since February 1944.



# VARIATIONS BY SERVICE COMMAND


MORBIDITY FROM

— ALL CAUSES  
— COLDS, INFLUENZA, ETC.





# VARIATIONS BY SERVICE COMMAND (CONT.)





## COMMENT ON CURRENT TRENDS (CONT.)

The rate increased in the Third, Fourth, Seventh and Eighth Service Commands. The highest rate (26 admissions per 1,000 troops per annum) was reported from the Eighth, with the Third, Fourth, and Seventh Service Commands and the MDW all reporting rates over 20 per 1,000. Rates for primary pneumonias, other than atypical, decreased during the week from 6.4 to 6.3 per 1,000 troops per annum. In the corresponding periods of last year, this rate was 4.7 and 4.5 per 1,000, while it fell from 10.2 to 9.5 in these weeks of 1944.

Venereal Diseases:

Admissions for "new non-EPTS" venereal diseases increased during the week from 61 to 64 per thousand troops per annum.

Other Communicable Diseases.

Diarrhea and dysentery continued at low levels.

Rates for Scarlet Fever are higher than any experienced since April 1943; the current week's rate of 6 per thousand is some 50% higher than that reported in the previous week. Relatively large numbers of cases have been reported from Fort Belvoir, Virginia, and Camp Crowder, Missouri.

NONEFFECTIVE RATE:

(See Chart on page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 40.3 per thousand troops per diem for the week ended 8 February as compared with 36.2 per thousand for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 8 FEBRUARY 1946:

(See Chart on page 9)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 139,243 compared with 146,792 at the end of the previous week.

The number of neuropsychiatric cases remaining was 9,868 or about 500 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 23,965. The battle casualty patients remaining decreased by about 1,900 to 33,553.

CERTIFICATES OF DISABILITY FOR DISCHARGE:


(See Chart on page 10.)

In the week ended 8 February there were 4,378 enlisted personnel discharged by CDD (about the same as the previous week). These discharges included 142 CDD's accomplished at Air Force medical activities. Among these CDD's were 842 neuropsychiatric cases, about 30 more than in the previous week.




# NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES





# CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES





# WEEKLY HEALTH REPORT

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH
		ANNUAL RATE PER 1000 STRENGTH								ANNUAL CASE RATE PER 1000 STRENGTH								
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)				
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week**
TOTAL UNITED STATES	1806761	1870824	640	622	609	594	31	28	191	186	18	16	3	3	64	61	41	40
FIRST SERVICE COMMAND	60939	64424	557	580	530	553	27	27	160	158	5	9	7	23	48	35	50	49
SECOND SERVICE COMMAND	165754	175987	621	620	598	600	23	20	143	152	13	13	5	4	69	59	40	38
THIRD SERVICE COMMAND	186049	178995	845	353	822	826	23	27	288	320	24	21	17	17	83	102	41	43
MIL. DIST. OF WASHINGTON	49767	49407	894	871	877	845	17	26	414	439	23	37	7	0	33	35	49	47
FOURTH SERVICE COMMAND	361358	382474	560	536	529	508	31	28	160	135	21	19	2	1	87	79	37	35
FIFTH SERVICE COMMAND	127132	130651	545	539	519	521	26	18	135	124	12	15	2	27	61	50	43	43
SIXTH SERVICE COMMAND	107597	110981	573	606	545	579	28	27	143	133	12	16	6	3	37	56	40	40
SEVENTH SERVICE COMMAND	153116	160429	754	735	724	706	30	29	262	256	25	15	27	4	53	56	35	38
EIGHTH SERVICE COMMAND	296015	298851	645	648	608	614	37	34	215	228	26	16	2	2	62	54	43	43
NINTH SERVICE COMMAND	299034	318625	596	525	552	492	44	33	146	126	10	11	7	4	47	44	42	39
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year***
TOTAL UNITED STATES	1944972	2991040	629	662	599	602	30	60	177	175	16	13	4	8	68	45	82	69
FIRST SERVICE COMMAND	69566	82033	569	741	546	683	23	58	168	179	11	8	8	7	39	66	140	89
SECOND SERVICE COMMAND	182625	195605	678	714	655	666	23	48	176	170	15	10	8	6	65	54	99	99
THIRD SERVICE COMMAND	182427	176747	781	776	754	729	27	47	260	184	19	13	2	7	96	61	77	73
MIL. DIST. OF WASHINGTON	48945	52577	814	731	790	683	24	48	342	211	26	9	2	8	34	24	78	71
FOURTH SERVICE COMMAND	390511	735762	554	651	524	592	30	59	135	157	17	12	3	7	93	48	69	60
FIFTH SERVICE COMMAND	141137	132410	592	702	566	651	26	51	128	236	12	12	2	6	68	58	116	156
SIXTH SERVICE COMMAND	117566	100412	599	758	571	716	28	42	135	231	15	24	4	7	51	55	115	107
SEVENTH SERVICE COMMAND	165882	269956	699	588	671	544	28	44	229	134	18	10	5	7	62	41	79	62
EIGHTH SERVICE COMMAND	312840	747901	628	650	594	591	34	59	213	197	17	16	3	9	66	38	71	51
NINTH SERVICE COMMAND	333473	497637	587	625	547	575	40	50	137	159	12	8	5	7	47	36	65	64

FORM SG-3968 REVISED 13 NOVEMBER 1943

RESTRICTED

\*\*DOES NOT INCLUDE EVACUEES.

\*\*\*INCLUDES EVACUEES.

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Influenza.

- 11 -

 ARMY SERVICE FORCES  
 OFFICE OF THE SURGEON GENERAL  
 MEDICAL STATISTICS DIVISION  
 HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 6  
WEEK ENDING 8 February 1946

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY COD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1806761	223	213	221	16	32	412	167	1	339	144	45	229	71	38	31	2	4378
FIRST SERVICE COMMAND	60939	1	2	7			5	20		5	5	2	7	2	1	1		255
SECOND SERVICE COMMAND	165754	11	6	11	1		31	30		37	5	3	32	4	4			508
THIRD SERVICE COMMAND	186049	32	18	27	4	1	44	7		29	12	7	9	6	3	3		567
MIL. DIST. OF WASHINGTON	49767	6	11	42		4	17	4		4	2		3	9	8	1		98
FOURTH SERVICE COMMAND	361358	16	34	25	3	7	120	17	1	37	24	4	13	13	4	9		694
FIFTH SERVICE COMMAND	127132	15	4	23			14	18		39	7	5	9	9	5	4		458
SIXTH SERVICE COMMAND	107597	7	8	9	1	5	16	27		42	33	2	53	6	2	3	1	357
SEVENTH SERVICE COMMAND	153116	17	33	31	1	9	67	5		23	7	12	16	8	5	3		386
EIGHTH SERVICE COMMAND	296015	64	49	28	2	3	63	17		49	16	3	18	8	4	3	1	576
NINTH SERVICE COMMAND	299034	54	48	18	4	3	35	22		74	33	7	69	6	2	4		479
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1870824	248	192	158	14	39	351	151	5	371	166	51	349	74	52	18	4	4568
FIRST SERVICE COMMAND	64424	3	7	17	2	1	5	35		11	15		10					301
SECOND SERVICE COMMAND	175987	14	8	8		2	25	21	1	28	3	2	40	8	8			573
THIRD SERVICE COMMAND	178995	36	9	8	3	1	34	4		22	19	20	15	4	4			526
MIL. DIST. OF WASHINGTON	49407	11	2	25	1		14	3		9	1		5	5	4	1		50
FOURTH SERVICE COMMAND	382474	16	30	17	5	8	100	11	4	51	9		35	12	8	4		676
FIFTH SERVICE COMMAND	130651	6	5	15		4	7	12		47	5	8	17	7	4	1	2	561
SIXTH SERVICE COMMAND	110981	9	4	4		2	18	20		36	23		63	7	5	1	1	323
SEVENTH SERVICE COMMAND	160429	19	52	37		8	44	4		26	13	12	39	10	8	2		449
EIGHTH SERVICE COMMAND	298851	86	46	18	3	11	62	20		57	48	3	55	12	7	4	1	601
NINTH SERVICE COMMAND	318625	48	29	9		2	42	21		84	30	6	70	9	4	5		508

FORM SG-396C REVISED 2 DEC. 1944

\* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED







# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
THIRD SERVICE COMMAND	186049	845	822	23	288	24	17	83	32	18	27	4	1	44	7	6	3	3	567
Aberdeen Prov. Grd., Md.	16334	1344	1309	35	704	29		41	2		10			8					1
Geo. G. Meade, Ft., Md.	34829	619	612	77	119	16		84		1		1		8	4				18
Indiantown Gap, Pa.	29533	551	528	23	67	97		48						5					28
Langley Field, Va.	6392	195	187	87	167														2
Lee, Cp., Va. (RH)	33874	955	944	11	488	55		101	14	12	9		1	6	1	1		1	17
Pickett, Cp., Va.	27705	1143	1126	17	338	21		158	15	3	5	2		8					13
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37382	860	811	49	264	19	47	70	1	2	3	1		9	2	5	3	2	488
MILITARY DISTRICT OF WASH.	49767	894	877	17	414	23	7	33	6	11	42		4	17	4	9	8	1	98
Belvoir, Ft., Va. (RH)	19541	1296	1283	137	732	45	87	40	2	11	41		4	14	3	1	1		12
Myer, Ft., Va.	5956	647	603	447	279	447	177	267	2		1			3					2
Wash. Gen. Disp., D. C.	7924	618	598	207	276														
Bolling Field, D. C.	5071	492	492		62														
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	11275	701	687	147	189		97	65	2						1	8	7	1	84

FORM SG-945 11 DEC. 1944

\* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)  
\*\* SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FOURTH SERVICE COMMAND	361358	560	529	31	160	21	2	87	16	34	25	3	7	120	17	13	4	9	694
Benning, Ft., Ga. (RH)	26923	313	303	10?	126	12		39	1	6				4	7				7
Elanding, Cp., Fla.	6685	841	794	47	31?			78							1				5
Boca Raton Field, Fla.	5076	185	154	31?	10?	20?		10?											
Bragg, Ft., N. C. (RH)	52659	565	541	24	174	16		65	2	2	10			13	2				11
Butner, Cp., N. C. (Excl. Gen. & Conv. Hosp.)	8205	317	285	32?	70			38											
Gordon, Cp., Ga.	8457	665	640	25?	49	18?		80		1				3					
Greensboro AAFORD, N. C. (RH)	38890	429	413	16	182	19		71	1	5	4	1		12		3		3	7
Jackson, Ft., S. C.	19134	549	516	33	30	5?		193	3	1				2					6
Keesler Field, Miss. (RH)	27221	734	707	27	382	36		27	1	2	6		3	14	1				14
McClellan, Ft., Ala.	23989	887	824	63	254	124	7?	35		8	5		2	51	2	1		1	19
MacDill Field, Fla.	7280	293	264	29?	29?		21?	57	2	1									1
Maxwell Field, Ala. (RH)	7633	395	361	34?	14?			102											
McPherson, Ft., Ga.	21904	646	622	24	140	28	2?	138	2	1			1	12	2				4
Shelby, Cp., Miss.	15932	898	878	20	229	10?	3?	300	2	2				2					6
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	91370	520	476	44	143	6	3?	92	2	5		2	1	7	2	9	4	5	614



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES							ALL CAUSES	DISEASE		INJURY
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTs)	MEASLES	MUMPS	SCARLET FEVER	N'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIFTH SERVICE COMMAND	127132	545	519	26	135	12	2	61	15	4	23			14	18	9	5	4	458	
Atterbury, Cp., Ind.	44082	515	506	9	55	8	17	39	2		1			1	3	1		1		
Campbell, Cp., Ky.	15666	425	412	13?	143	10?	3?	53	1		1			3		1		1	1	
Dayton, Ohio AAF Tech Base(RH)	14792	351	309	42	56	4?		60	1	1				1	2	2	2		6	
Knox, Ft., Ky., (RH)	24042	759	718	41	374	30	2?	61	7	2	19			6	3				25	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	28550	573	537	36	91	9?	5?	100	4	1	2			3	10	5	3	2	426	
SIXTH SERVICE COMMAND	107597	573	545	28	143	12	6	37	7	8	9	1	5	16	27	6	2	3	357	
Chamute Field, Ill. (RH)	11364	472	449	23?	238	9?		55	2	2	1		1	2					1	
Grant, Cp., Ill.	11173	1126	1089	37	51	14?		42					1	3	6	1		1	5	
McCoy, Cp., Wis.	10531	509	499	10?	84	25?		10?		1				5	3				17	
Scott Field, Ill. (RH)	10519	683	643	40	302	10?	20?	15?	1	1	4			2	1				6	
Sheridan, Ft., Ill. (RH)	35950	407	393	14	85	12	1?	30		2	2	1		2	5				6	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	28060	587	543	44	176	9?	13	54	4	2	2		3	2	12	5	2	2	322	

RESTRICTED



[illegible]



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
EIGHTH SERVICE COMMAND	296015	645	608	37	215	26	2	62	64	49	28	2	3	63	17	8	4	3	576
Bliss, Ft., Texas	17604	739	730	9?	337	3?	9?	50	6	1	1								
Bowie, Cp., Texas (RH)	5874	523	514	9?	62	18?		80		3				1	2				4
Chaffee, Cp., Ark.	21719	381	347	34	65	22		24	5	1	1			5					2
Harlingen AAF, Texas #	5890	186	186		62			9?		1									
Hood, Cp., Texas	5695	703	639	64	183			46?											5
Jos. T. Robinson, Cp.,Ark. (RH)	19717	1084	1002	82	754	40		16	11	11	6	1	1	10	1	1		1	53
New Orleans PoE, La.	16279	924	863	61	415	45	3?	208	4	7	3			11	6	1	1		1
Randolph Field, Texas	7456	314	286	28?	98			14?	1	1						1		1	1
Sam Houston, Ft., Texas	27803	624	617	7?	39			71											
San Antonio AAF, Texas (RH)	13225	720	696	24	283		12?	31	5	2	3		1						28
Sheppard Field, Texas (RH)	31160	1133	1096	37	401	112		35	16	14	10			12					23
Sill, Ft., Okla.	15059	563	535	28	204	38		31	12	1	2			9					1
Swift, Cp., Texas (RH)	16671	318	290	28	59	19		6?		1				5	3				10
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	91863	509	461	48	119	12	2?	90	4	6	2	1	1	10	5	5	3	1	448

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	W'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
NINTH SERVICE COMMAND	299034	596	552	44	146	10	7	47	54	48	18	4	3	35	22	6	2	4	479
Beale, Cp., Calif.	27109	510	491	19	111	4?	6?	56	2	1				1	1				9
Cooke, Cp., Calif.	10673	219	185	34	19?				2	1	1								
Douglas, Ft., Utah	8126	1057	980	77	160			13?					1		3				6
Hamilton Field, Calif. (RH) #	7068	250	228	22?	81	7?	7?	29?								2		2	
Kearns AAFORD, Utah	13613	756	718	38	409	15?	8?	122	5	5	3			3					
Lawton, Ft., Wash.	12750	339	306	33	69	4?	4?	41			1				2				1
Lewis, Ft., Wash.	37511	521	506	15	166	6?		54	23	20	5	3							
Los Angeles PoE, Calif.	7553	647	592	55	48			41		1					4				
MacArthur, Ft., Calif.	17766	577	565	12?	126	6?		35						1					2
March Field, Calif.	8332	275	250	25?	44			37											2
Ord, Ft., Calif. (RH)	15987	768	742	26	231	3?	26	78	4	6	3			1					10
Roberts, Cp., Calif.	11412	825	738	87	278	109		9?	7	7				19					7
Stoneman, Cp., Calif.	13356	744	693	51	222	16?		86	1	2				1	3				7
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	107778	636	570	66	121	6	11	40	10	5	5	1	2	9	9	4	2	2	435



# WEEKLY HEALTH REPORT

## LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 6  
WEEK ENDING 8 February 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Aberdeen Prov. Grd., Md.	1344	1299	Aberdeen Prov Grd., Md.	1309	1289	Roberts, Cp., Calif.	87	46
Leonard Wood, Ft., Mo.	1323	1411	Leonard Wood, Ft., Mo.	1295	1378	Jos. T. Robinson, Cp., Ark.	82	99
Crowder, Cp., Mo.	1302	1344	Belvoir, Ft., Va.	1283	1273	Douglas, Ft., Utah	77	43
Belvoir, Ft., Va.	1296	1296	Crowder, Cp., Mo.	1275	1301	Hood, Cp., Texas	64	59
Pickett, Cp., Va.	1143	1186	Pickett, Cp., Va.	1126	1157	McClellan, Ft., Ala.	63	38
Sheppard Field, Texas	1133	1057	Sheppard Field, Texas	1096	1032	New Orleans PoE, La.	61	26
Grant, Cp., Ill.	1126	1454	Grant, Cp., Ill.	1089	1436	Riley, Ft., Kans.	58	287
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Crowder, Cp., Mo.	796	805	McClellan, Ft., Ala.	124	84	Ord, Ft., Calif.	26	27
Jos. T. Robinson, Cp., Ark.	754	598	Sheppard Field, Texas	112	66			
Belvoir, Ft., Va.	732	805	Roberts, Cp., Calif.	109	42			
Aberdeen Prov. Grd., Md.	704	837	Crowder, Cp., Mo.	101	69			
Lee, Cp., Va.	488	312	Lee, Cp., Va.	55	40			
Leonard Wood, Ft., Mo.	430	489	Belvoir, Ft., Va.	45	88			
New Orleans PoE, La.	415	502	New Orleans PoE, La.	45	32	NO OTHER STATION WITH SIX OR MORE CASES.		
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000					
Shelby, Cp., Miss.	300	148	Aberdeen Prov. Grd., Md.	1309	1289			
New Orleans PoE, La.	208	185	Leonard Wood, Ft., Mo.	1295	1373			
Kilmer, Cp., N. J.	206	148	Belvoir, Ft., Va.	1283	1273			
Jackson, Ft., S. C.	193	154	Crowder, Cp., Mo.	1275	1301			
Pickett, Cp., Va.	158	156	Pickett, Cp., Va.	1126	1157			
Kearns AAFORD, Utah	122	87	Sheppard Field, Texas	1096	1032			
Jefferson Hqs., Mo.	111	132	Grant, Cp., Ill.	1089	1436			

FORM SG-396E, 12 NOVEMBER 1943

RESTRICTED

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And influenza.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 6  
WEEK ENDING 8 February 1946

## LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>COCIDIOIDOMYCOSIS (1)</u> 1-Davis-Monthan Field, Ariz.</p>	<p><u>DIPHTHERIA (11)</u> 3-Dix, Ft., N. J. 2-Kilmer, Op., N. J. 2-George G. Meade, Ft., Md. 2-War Strategic Service, D.C. 2-Oakland, Calif. (RH)</p>	<p><u>AMEBIC DYSENTERY (54)</u> 1-Boston, Mass. Gen. Disp. 1-Devens, Ft., Mass. 1-Washington Gen. Disp., D.C. 1-Greensboro AAFORD, N.C. 2-Moore, OH, N. C. 21-Ashford OH, W. Va. 1-Atterbury, Op., Ind. 1-Gardiner OH, Ill. 1-Percy Jones OH, Ill. 4-Sheridan, Ft., ILL. 2-Jefferson Hqs., Mo. 1-Leavenworth, Ft., Kans. 1-Logan, Ft., Colo. 1-Elise, Ft., Texas 1-Bowie, Op., Texas 1-Fannin, Op., Texas 1-Fort Worth AAF, Texas 3-Swift, Op., Texas 1-Beale, Op., Calif. 2-Douglas, Ft., Utah 3-Los Angeles Fok, Calif. 1-MacArthur, Ft., Calif. 1-Stoneman, Op., Calif. 1-White, Op., Oregon</p>	<p><u>SCABIES (70)</u> 42-Grant, Op., Ill. 28-Douglas, Ft., Utah TREATED AS OUT-PATIENTS 362-Dix, Ft., N. J. 23-Hamilton, Ft., N. Y. 1475-Kilmer, Op., N. J.</p>	<p><u>ANKYLOSTOMIASIS (1)</u> 1-Vaughan OH, Ill.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>GERMAN MEASLES</u> 38-Lee, Op., Va. 18-Pickett, Op., Va. 22-Bragg, Ft., N. C. 27-Greensboro AAFORD, N.C. 35-Kessler Field, Miss. 36-McClellan, Ft., Ala. 16-Knox, Ft., Ky. 26-Crowder, Op., Mo. 15-Snelling, Ft., Minn. 30-Joe T. Robinson, Op., Ark. 65-Shppard Field, Texas 25-Lewis, Ft., Wash. 17-Ord, Ft., Calif. 25-Roberts, Op., Calif.</p>
<p><u>RELAPSING FEVER (1)</u> 1-Greensboro AAFORD, N. C.</p>	<p><u>TYPHOID FEVER (1)</u> 1-Jefferson Hqs., Mo.</p>	<p><u>TUBERCULAR MENINGITIS (1)</u> 1-Carson, Op., OH, Colo.</p>			<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p> <p>1-Shanks, Op., N. Y. 1-Valley Forge OH, Pa. 2-Seymour Johnson Field, Fla. 1-Polk, Op., La.</p>

FORM 98-902-8 July 1944

RESTRICTED



## HEALTH OF THE ARMY (U.S.) 1945

The tables on pages 24 and 25 of this report contain a preliminary summary of data relating to the health of the Army in the continental United States in 1945. The information is subject to minor revision as final corrections in the files on which it is based are included. Since the weekly Statistical Health Report is the source of this material, it should be borne in mind that absolute levels of incidence are not established; however, comparisons of reported experience in 1945 with that for other periods is justified.

INCIDENCE OF DISEASES

Generally speaking, admission rates in 1944 exceeded those reported in 1945, "new" gonorrhea and syphilis, infectious hepatitis, and tuberculosis being notable exceptions.

Morbidity from colds, influenza, etc., was reported at the average level of 116 admissions per 1000 troops per year, the period being characterized throughout by low admission rates. In no week was the number of admissions as high as 200 per thousand troops per year, whereas during peak experience in the three preceding winter seasons rates well over 400 were sustained for

four-to six-week periods.

Admissions for all forms of primary pneumonia per thousand troops were fewer in 1945 than in the previous year; however, the admission rate for atypical pneumonias exceeded the 1944 figure (7.6 admissions per 1000 troops per annum in 1945; 7.0 such admissions in 1944.)

Rates for measles and mumps were lower in 1945 than in 1944, as were those for scarlet fever and rheumatic fever.

Admissions for all forms of tuberculosis increased throughout the latter months of 1945, as large numbers of physical examinations prior to separation from the service disclosed hitherto unreported cases. As a result, the admission rate for that year reached 1.7 per 1000 troops per annum, to contrast with 1.2 in 1943 and 1.0 in 1944. The rate for infectious hepatitis was 2.5 admissions per 1000 in 1945, contrasting with 0.7 per 1000 in 1944. A large proportion of these cases were diagnosed in general hospitals in this country among personnel evacuated from hospitals overseas.



## HEALTH OF THE ARMY (U. S.) 1945 (CONT.)

Malaria acquired in the United States continued at a low level of incidence (1 admission per 10,000 troops per annum). However, as the proportion of troops who had had overseas service increased in the continental United States, morbidity from malaria acquired in other areas rose sharply; the rate of 16.4 admissions per 1000 troops reported in 1945 is more than twice that experienced in 1944.

"New" venereal diseases were admitted during 1945 at a rate of 49.0 per thousand troops per annum, as contrasted with 33.3 per 1000 in 1944. "New" syphilis admissions reached 5.6 per 1000 (4.2 in 1944), while admissions for gonorrhea acquired while in the service increased from 27.8 per 1000 in 1944 to 42.2 per 1000. Other venereal diseases decreased from 1.3 per 1000 in 1944 to 1.2 in 1945.

Cases of venereal disease which existed prior to induction totaled about 65,000 in 1944, about 26,000 in 1945. Thus, of roughly one million inducted into the Army in the previous year, between 6 and 7 per cent had a venereal disease; in 1945, of 750,000 inductees, between 3 and 4 per cent were accepted with these infections. The ratio of colored inductees dropped from about 430 per thousand in 1944 to 240 in 1945; among white

inductees, the 1944 ratio of 20 per thousand contrasts with 13 in 1945.

INJURY ADMISSIONS

With the end of the war, most training activities which might result in injury were discontinued. The admission rate for injuries, therefore, dropped sharply in the last half of the year, to level off at about 30 per thousand troops per annum. The average rate for the year was 44 admissions per 1000 troops. Since the 1944 rate of 67 per thousand includes a number of readmitted cases (excluded by a change of definition during the year), no comparison between the rates for the two years is justified.

MORTALITY

Deaths from all causes in 1945 numbered 2.3 per 1000 troops per year, somewhat below the rate of 2.6 per 1000 in 1944. Injury deaths are estimated at 1.5 per 1000 troops (2.1 per 1000 in 1944), while deaths from disease totaled 0.8 per thousand as compared with 0.6 in 1944. (Rates for both years are adjusted to include estimated under reporting on the Statistical Health Report of deaths from injury).



## 1944 AND 1945 SUMMARY FOR THE CONTINENTAL UNITED STATES AND SERVICE COMMANDS

VOLUME VI REPORT NO. 6

SERVICE COMMAND	MEAN STRENGTH		A D M I S S I O N S																					
			ALL CAUSES		DISEASE		INJURY		COLDS, INFLUENZA, ETC.		PNEUMONIA (INCLUDING ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCLUDING EPTS)		NEURO- PSYCHIATRIC CASES		MEASLES		MUMPS		SCARLET FEVER	
	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945
A N N U A L R A T E S P E R 1 0 0 0 S T R E N G T H																								
TOTAL U.S.			631	561	564	517	67	44	147	116	11.7	10.7	9.0	6.3	33.3	49.0	36.3	37.8	3.2	1.3	4.9	4.5	2.1	1.1
1ST S.C.			624	533	566	500	58	33	157	95	10.1	5.7	7.7	7.0	36.0	42.9	33.4	25.2	1.7	.3	6.1	3.0	1.6	.6
2ND S.C.			728	593	670	558	58	35	191	111	10.9	9.0	9.0	6.3	44.0	48.7	58.5	53.7	2.1	.4	4.6	2.3	1.8	1.1
3RD S.C.			698	586	638	553	60	33	177	122	13.8	10.6	7.4	5.0	37.4	66.9	40.7	51.2	3.4	.5	6.6	4.2	2.3	.8
MDW			670	588	626	555	44	33	161	151	15.9	10.1	4.5	6.1	15.8	24.8	20.6	21.4	2.1	.4	3.9	1.6	1.6	.6
4TH S.C.			621	552	548	501	72	51	125	102	11.0	12.4	11.2	7.3	33.3	55.1	40.6	49.1	3.6	1.5	5.4	5.0	.6	.6
5TH S.C.			648	535	582	497	66	38	156	124	12.2	11.0	11.6	6.5	47.1	56.3	30.3	37.0	3.1	.7	4.8	4.8	2.4	.7
6TH S.C.			688	542	632	511	56	31	194	116	20.3	11.4	4.1	3.4	37.8	49.6	24.5	17.2	3.3	.6	4.7	3.5	5.4	2.3
7TH S.C.			678	526	616	491	174	35	196	119	18.0	8.0	8.5	4.3	30.7	50.0	79.1	27.8	4.4	1.9	6.9	5.4	4.6	1.7
8TH S.C.			576	569	505	519	71	50	123	132	10.1	13.8	9.4	5.0	31.6	43.4	32.4	31.9	3.2	2.1	3.3	5.5	1.5	1.2
9TH S.C.			619	572	550	526	69	46	146	114	8.5	7.3	7.1	6.4	27.9	40.9	32.9	34.0	2.4	1.3	4.6	4.0	2.9	1.1
N U M B E R O F C A S E S																								
TOTAL U.S.	4013138	2971639	2532336	1665203	2261800	1535347	270536	129856	590085	346011	46974	31787	36300	18613	13336	145505	145527	112432	12823	4000	19665	13512	8256	3149
1ST S.C.	106267	92352	66270	49185	60127	46158	6143	3027	16643	8737	1078	530	813	647	3823	3966	3546	2323	182	25	645	279	169	56
2ND S.C.	213463	200467	155400	118871	142921	111831	12479	7040	40736	22278	2324	1802	1915	1265	9389	9746	12477	10771	452	80	986	471	374	211
3RD S.C.	254462	200039	177614	117160	162272	110558	15342	6602	45036	24319	3517	2123	1871	997	9510	13452	10369	10249	861	110	1672	846	593	168
MDW	61072	54064	40904	31809	38203	29998	2701	1811	9833	8150	974	548	275	332	963	1339	1258	1159	129	24	239	87	96	31
4TH S.C.	1073794	693419	666497	382790	588726	347320	77771	35470	133959	70765	11840	8606	12078	5036	35705	38240	43566	34076	3865	1018	5805	3499	648	430
5TH S.C.	184623	160810	119575	85943	107478	79846	12097	6097	28710	19864	2254	1763	2150	1049	8693	9061	5585	5952	564	113	891	775	445	113
6TH S.C.	159209	141004	109566	76343	100650	72041	8916	4302	30952	16372	3230	1608	658	485	6019	6986	3908	2430	533	78	754	500	867	337
7TH S.C.	379452	285497	257244	150227	233706	140170	23538	10057	74412	38053	6834	2270	3208	1228	1163	14266	13265	7930	1678	548	2611	1540	1749	473
8TH S.C.	925708	641529	533445	365356	467423	333247	66022	32109	114047	84390	9372	8849	8669	4370	29396	27879	30014	20449	2980	1335	3045	3501	1428	767
9TH S.C.	655088	502458	405821	287519	360294	264178	45527	23341	95757	57083	5551	3688	4663	3204	18265	20570	21539	17093	1579	669	3017	2014	1887	563

38 FORM 972  
6 FEB 1946OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION, HEALTH REPORTS BRANCH

RESTRICTED



RESTRICTED

## 1944 AND 1945 SUMMARY FOR THE CONTINENTAL UNITED STATES AND THE SERVICE COMMANDS

VOLUME VI REPORT NO. 6

SERVICE COMMAND	A D M I S S I O N S																								D E A T H S							
	M'COGGIG MENINGITIS		RHEUMATIC FEVER		ATYPICAL PNEUMONIA		INFECTIOUS HEPATITIS		MALARIA ACQUIRED				TUBERCULOSIS		"NEW" VENEREAL								NEUROPSYCHIATRIC				ALL CAUSES		DISEASE		INJURY	
									IN U S A		OUT OF U S A				GONORRHEA EXCL. EPTS		SYPHILIS EXCL. EPTS		OTHER VENEREAL EXCL. EPTS		TOTAL VENEREAL EPTS		PSYCHIATRIC		ORGANIC NEURO- LOGICAL							
	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945	1944	1945
A N N U A L R A T E S P E R 1 0 0 0 S T R E N G T H																																
TOTAL U. S.	.7	.4	1.4	.8	7.0	7.6	.7	2.5	.2	.1	7.8	16.4	1.0	1.7	27.8	42.2	4.2	5.6	1.3	1.2	16.5	9.0		34.0		3.9	2.5	2.2	.6	.8	1.9	1.3
1 <sup>ST</sup> S. C.	.5	.2	1.2	.9	6.4	3.6	1.2	5.4	.2	.1	13.3	22.5	.7	2.4	29.0	33.1	5.2	8.3	1.7	1.5	5.0	2.6		24.7		.4	2.2	2.1	.6	1.1	1.6	.9
2 <sup>ND</sup> S. C.	.7	.2	.7	.6	5.7	5.6	.7	5.9	.1	.04	12.3	20.3	1.3	2.0	35.9	38.6	5.3	8.3	2.7	1.8	18.7	6.4		46.0		7.7	1.9	1.8	.8	.9	1.1	.8
3 <sup>RD</sup> S. C.	1.0	.4	1.0	.4	8.7	6.9	1.2	3.9	.2	.1	9.5	15.0	.9	1.7	31.3	56.4	4.9	9.0	1.2	1.8	40.5	25.5		44.3		6.9	1.5	1.6	.5	.8	1.0	.7
MDW	.8	.2	.2	.5	10.4	7.2	.4	2.3	1.0	.1	12.0	11.7	.9	1.2	13.5	22.0	1.8	2.3	.4	.5	.7	.4		19.8		1.6	2.8	3.8	2.2	3.1	.6	.5
4 <sup>TH</sup> S. C.	.8	.5	.6	.5	7.6	9.9	.8	1.6	.1	.1	7.4	12.9	.8	1.2	27.2	47.6	4.3	5.7	1.7	1.8	21.9	10.2		45.9		3.3	2.2	2.2	.4	.6	1.8	1.5
5 <sup>TH</sup> S. C.	.8	.6	1.2	.8	7.6	6.4	1.2	3.1	.1	.03	7.9	20.1	1.4	2.5	40.0	49.7	5.2	5.8	1.9	.8	29.9	20.2		27.0		10.0	2.2	2.0	.7	.7	1.5	1.0
6 <sup>TH</sup> S. C.	.7	.3	3.0	1.1	11.9	7.2	.5	5.7	.1	.04	8.7	29.2	1.3	2.7	34.5	44.9	2.9	3.8	.5	.9	26.3	12.5		15.6		1.6	1.8	2.1	.7	1.0	1.1	.9
7 <sup>TH</sup> S. C.	.6	.3	5.2	1.0	8.1	5.1	.3	1.5	.1	.1	5.7	14.7	.8	1.8	27.0	44.8	3.0	4.5	.6	.7	6.0	2.6		25.0		2.8	3.0	2.3	.7	.9	2.3	1.3
8 <sup>TH</sup> S. C.	.6	.5	.8	.9	6.5	10.3	.7	2.1	.2	.2	7.1	16.6	1.1	1.8	26.2	38.0	4.4	4.6	1.1	.8	11.4	8.1		28.9		3.0	2.4	2.1	.4	.5	2.0	1.5
9 <sup>TH</sup> S. C.	.4	.3	1.7	.9	4.3	5.1	.5	1.6	.1	.1	6.0	15.3	1.0	1.5	23.2	35.2	3.6	4.7	1.1	1.0	8.2	3.5		30.9		3.1	3.3	2.5	.6	.7	2.7	1.7
N U M B E R O F C A S E S																																
TOTAL U. S.	2689	1118	5681	2264	28076	22718	2881	7567	625	335	31667	48639	3868	5107	11198	125507	16667	16412	5331	3586	66262	26385		100959		11473	9866	6464	2284	2219	7524	3961
1 <sup>ST</sup> S. C.	54	16	123	82	682	332	128	503	16	13	1418	2076	76	219	3085	3061	553	762	185	143	535	242		2283		40	235	198	65	99	167	85
2 <sup>ND</sup> S. C.	141	44	148	119	1224	1127	141	1190	31	9	2615	4077	278	409	7667	7739	1138	1661	584	346	3989	1293		9218		1553	407	368	168	176	226	157
3 <sup>RD</sup> S. C.	262	74	263	79	2202	1379	308	783	45	16	2415	2999	225	335	7963	11289	1244	1810	303	353	10311	5091		8868		1381	388	322	138	159	247	133
MDW	46	13	12	28	638	390	26	122	6	4	735	630	54	69	825	1190	111	124	27	25	41	19		1071		88	174	203	133	166	37	28
4 <sup>TH</sup> S. C.	827	319	593	354	8150	6847	870	1099	141	67	7962	8973	854	851	29244	33020	4592	3986	1869	1234	23470	7039		31802		2274	2407	1521	461	421	1938	1058
5 <sup>TH</sup> S. C.	143	104	223	130	1412	1035	215	503	21	5	1466	3233	261	405	7383	7998	958	934	352	129	5529	3249		4346		1606	414	320	131	115	273	167
6 <sup>TH</sup> S. C.	106	43	473	151	1895	1012	78	801	19	7	1382	4118	206	394	5488	6331	459	535	72	120	4195	1768		2200		230	291	300	118	145	171	120
7 <sup>TH</sup> S. C.	237	89	1969	289	3063	1442	123	417	49	40	2160	4205	288	504	10260	12789	1144	1274	229	203	2275	730		7138		792	1151	666	259	260	887	382
8 <sup>TH</sup> S. C.	585	290	756	602	5986	6609	655	1330	228	129	6555	10662	991	1184	24283	24391	4119	2953	994	535	10531	5208		18522		1927	2261	1350	414	351	1841	979
9 <sup>TH</sup> S. C.	288	126	1121	430	2824	2545	337	819	69	45	4959	7666	635	737	15200	17699	2349	2373	716	498	5386	1746		15511		1582	2138	1216	397	327	1737	852

56 FORM 972 4 APRIL 1945

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION, HEALTH REPORTS BRANCH

RESTRICTED



